Thursday, August 10, 2017 10:00 am.



PLACE: ET 6 MR NW 06-127

SUBDIVISION AUTHORITY MINUTES MEETING NO. 32

PRESENT Blair McDowell		Blair McDov	vell, Chief Subdivision Officer		
1.	ADOPTION OF AGENDA				
MOVED			Blair McDowell		
			That the Subdivision Authority Agenda for the August 10, 2017 meeting be adopted.		
FOR THE MOTION			Blair McDowell	CARRIED	
2.	ADOPTION OF MINUTES				
MOVED)		Blair McDowell		
			That the Subdivision Authority Minutes for the August 3, 2017 meeting be adopted.		
FOR THE MOTION			Blair McDowell	CARRIED	
3.	OLD BUSINESS				
4.	NEW BUSINESS				
1.	LDA17-0055		Tentative plan of subdivision to create one (1) institutional lot, from Block C,		
	239542	2433-001	Plan 172 1978, Lot 2, Block 1, Plan 172 1233, and Lot 1867 located north of 41 Avenue SW and west of Her CHAPPELLE		
MOVED			Blair McDowell		
			That the application for subdivision be Approved.		
FOR THE MOTION			Blair McDowell	CARRIED	
2.	LDA17-0258		Tentative plan of subdivision to create separate titles for an existing semi-		
	detached dwelling from Lot 6, Block 27, Plan 2106 KS, located north of Avenue NW and west of 79 Street NW; FOREST HEIGHTS				
MOVED			Blair McDowell		
			That the application for subdivision be Approved.		
FOR THE MOTION			Blair McDowell	CARRIED	

A17-0376 251786-001	Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 1, Block 45, Plan 3746 HW, located north of 80 Avenue NW and east of 81 Street NW; KING EDWARD PARK		
	Blair McDowell		
	That the application for subdivision be Approved.		
TION	Blair McDowell	CARRIED	
	Tentative plan of subdivision to create one (1) additional single detached residential lot from Lots 3-4, Block 54, Plan 5997 AE, located north of 78 Avenue NW and east of 79 Street NW; KING EDWARD PARK		
	Blair McDowell		
	That the application for subdivision be Approved.		
ΓΙΟΝ	Blair McDowell	CARRIED	
	Tentative plan of subdivision to create separate titles for a semi-detached dwelling from Lot 6, Block 13, Plan 5899 HW, located south of 101 Avenue NW and east of 79 Street NW; FOREST HEIGHTS		
	Blair McDowell		
	That the application for subdivision be Approved as Amended.		
ΓΙΟΝ	Blair McDowell	CARRIED	
	Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 37, Block 5, Plan 959 KS, located east of 75 Avenue NW and north of 89 Street NW; AVONMORE		
	Blair McDowell		
	That the application for subdivision be Approved.		
ΓΙΟΝ	Blair McDowell	CARRIED	
	Tentative plan of subdivision to create one (1) single of from Lot 14, Block 15, Plan 5229 AD, located north of 155 Street; WEST JASPER PLACE		
- 44**	Blair McDowell		
	That the application for subdivision be Approved.		
LION	Blair McDowell	CARRIED	
OURMENT			
meeting adjourned at 1	10:10 a.m.		
	TION A17-0380 341698-001 TION A17-0382 681809-001 TION A17-0389 691786-001 TION A17-0404 347671-001 TION TION TION TION	residential lot from Lot 1, Block 45, Plan 3746 HV Avenue NW and east of 81 Street NW; KING EDWAR Blair McDowell That the application for subdivision be Approved. Blair McDowell Tentative plan of subdivision to create one (1) addiresidential lot from Lots 3-4, Block 54, Plan 5997 A Avenue NW and east of 79 Street NW; KING EDWAR Blair McDowell That the application for subdivision be Approved. Blair McDowell Tentative plan of subdivision to create separate title dwelling from Lot 6, Block 13, Plan 5899 HW, locate NW and east of 79 Street NW; FOREST HEIGHTS Blair McDowell That the application for subdivision be Approved as A: FION Blair McDowell That the application for subdivision to create one (1) addiresidential lot from Lot 37, Block 5, Plan 959 KS, located north of 89 Street NW; AVONMORE Blair McDowell That the application for subdivision be Approved. Blair McDowell That the application for subdivision be Approved. Blair McDowell That the application for subdivision be Approved. Blair McDowell Tentative plan of subdivision to create one (1) single of from Lot 14, Block 15, Plan 5229 AD, located north of 155 Street; WEST JASPER PLACE Blair McDowell That the application for subdivision be Approved. Blair McDowell That the application for subdivision be Approved. Blair McDowell That the application for subdivision be Approved.	



7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

August 10, 2017

File No. LDA17-0055

IBI Group 300 - 10830 Jasper Avenue NW Edmonton, AB T5J 2B3

ATTENTION: Mark Michniak

RE: Tentative plan of subdivision to create one (1) institutional lot, from Block C, Plan 172 1978, Lot 2, Block 1, Plan 172 1233, and Lot T, Block 99, Plan 142 1867 located north of 41 Avenue SW and west of Heritage Valley Trail SW; CHAPPELLE

The Subdivision by Plan is APPROVED on August 10, 2017, subject to the following conditions:

- 1. that the owner enter into a Servicing Agreement with the City of Edmonton pursuant to Section 655 of the Municipal Government Act;
- that the owner prepare the necessary plans and documentation to grant new or carry forward
 existing easements and restrictive covenants in favour of the City of Edmonton, EPCOR
 Distribution & Transmission Inc., and EPCOR Water Services Inc., as required by the
 aforementioned agencies or shown on the engineering drawings that are deemed to be part of
 the Servicing Agreement;
- that the approved subdivision LDA16-0597 be registered prior to or concurrent with this
 application for the logical extensions of roadway connections and for necessary underground
 utilities;
- 4. that Bylaw 18143 to amend the Edmonton Zoning Bylaw shall be approved prior to the endorsement of the plan of survey; and
- 5. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Il That the Servicing Agreement required in Clause I (1) contain, among other things, the following:

- 1. that the owner pay all servicing costs, assessments, roadway modification costs (including but not limited to sidewalk, shared use path and/or transit infrastructure), construction costs and inspection costs required by this subdivision;
- 2. that the owner pay all costs specified in the Servicing Agreement prior to endorsement of the plan of survey;
- 3. that the owner pay the Drainage Assessments applicable to this subdivision;

- 4. that the owner pay the Arterial Roadway Assessments applicable to this subdivision;
- 5. that the owner submits an Erosion and Sediment Control (ESC) Plan specific for this development and for implementation during and after construction in accordance with the City of Edmonton ESC Guidelines and Field Manual;
- 6. that the owner submits detailed engineering drawings and technical studies in accordance with the City of Edmonton Design and Construction Standards and to the satisfaction of the City Departments and affected utility agencies; and
- 7. that the owner installs a fire hydrant on Chappelle Road SW, to the satisfaction of EPCOR Water Services Inc.

Enclosure I is a map of the subdivision identifying major conditions of this approval.

Pursuant to Section 663 of the Municipal Government Act, Municipal Reserve (MR) for Block C, Plan 172 1978 is not applicable because the parcel is less than 0.8 ha in size.

MR for Lot 2, Block 1, Plan 172 1233 was addressed by Deferred Reserve Caveat (DRC) through LDA16-0551. The DRC amount was registered against the parent parcel (the SW 13-51-25-W4M).

MR for Lot T, Block 99, Plan 142 1867 was addressed by DRC through LDA13-0246. The DRC in the amount of 0.277 ha was subsequently transferred to Lot L, Block 99, Plan 112 5833.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be five (5) days from the date the decision is mailed.

If you have further questions, please contact Kyle Witiw at kyle.witiw@edmonton.ca or 780-442-4308.

Regards,

Blair McDowell
Subdivision Authority

BM/kw/Posse #239542433-001

Enclosure(s)

File No. LDA17-0055 2 of 2

CB₂

41 Ave. SW

RF4

RA7

41 Ave. SW

RPL



7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

August 10, 2017

File No. LDA17-0258

Delta Land Surveys Ltd. 9809 - 89 Avenue NW Edmonton, AB T6E 2S3

ATTENTION: John Sung

RE: Tentative plan of subdivision to create separate titles for an existing semi-detached dwelling from Lot 6, Block 27, Plan 2106 KS, located north of 105 Avenue NW and west of 79 Street NW; FOREST HEIGHTS

The Subdivision by Plan is APPROVED on August 10, 2017, subject to the following conditions:

- that the owner make satisfactory arrangements with Drainage Planning and Engineering for the
 provision of separate services (water and sanitary) to each half of the semi-detached dwelling.
 However, for buildings constructed prior to 1992 there is an option to retain the existing services
 (please refer to Attachment 1);
- that the owner obtain a permit to demolish the garage prior to endorsement of the final plan.
 Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue NW; and
- 3. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

- that the owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-4124000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-5082456), ATCO Gas (780-4245222) and Drainage Planning and Engineering (water and sewer 780-4965444);
- 2. that if power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan (contact EPCOR Land and Administration Group at 780-412-3252);
- 3. that the owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the *Safety Codes Act* and *Alberta Building Code*. Permits may be required for such changes. Please contact 311 for more information;

- 4. that the next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$649.00) and subsequently released to the applicant for registration at the Land Titles Office;
- 5. that the Subdivision Authority will not endorse the plan of subdivision or other instrument until the appeal period as prescribed by the Municipal Government Act, 2000 has lapsed;
- 6. that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton; and
- 7. that the owner may lodge an appeal in accordance with Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be five (5) days from the date the decision is mailed.

If you have further questions, please contact Stephanie Mah at stephanie.mah@edmonton.ca or 780-442-5387.

Regards,

Blair McDowell Subdivision Authority

BM/sm/Posse #246847725-001

Enclosure(s)

File No. LDA17-0258 2 of 2

Attachment 1

Optional Servicing Conditions for Sewer and Water Services


The following conditions must be met for the City to consider as an option, not to enforce Section 20 (1) of the Drainage Bylaw 16200.

- a) The building must have been constructed prior to 1992.
- b) The applicants for subdivision must verify that the private sanitary and/or storm drainage systems for each unit are connected separately outside of the building. If the storm or sanitary drainage systems are interconnected within or under the building structure, the subdivision application will not be supported.
- c) The private building sewers on the property <u>must</u> be inspected with a camera by **Drainage Operations** (phone 780-442-5311). The condition of the sanitary and/or storm building sewers must be verified as being functional and free of defects and able to provide effective sewer servicing.
- d) The applicants/owners must register on the titles of each separate lot an irrevocable caveat and easement allowing for the excavation, repair or replacement of the sanitary and/or storm building sewers within each separate lot by both owners. The caveat must save harmless the City from liability due to failure or repair of the private building sewers foundation drainage systems and roof drainage systems resulting from allowing the cross lot servicing due to subdivision to separate titled lots.
- e) Surface drainage and discharge of roof leaders and/or sump pump discharge must be corrected so as not to cause a nuisance, hazard or damage to either the subdivided lots or neighboring properties.
- f) If a new development permit is taken out on either of the subdivided properties to construct a new building (dwelling unit), then each of the lots must be serviced with sanitary and/or storm directly from city sewer mains, and must separate, redirect and not interconnect any private building sewers within each of the lots to the city services.
- g) The Chief Plumbing Inspector must also support the subdivision application as a variance to the National Plumbing Code.

The following conditions must be met for EPCOR to consider as an option, not to enforce Article 4(f) of Schedule 2 (Terms and Conditions of Water Service) of the City of Edmonton Bylaw 15816 (EPCOR Water Services and Wastewater Treatment), where there is an application to subdivide a single semi-detached residential lot into two separately titled properties.

- a) The subdivision application must be supported by the City of Edmonton Drainage Planning and Engineering within Sustainable Development department.
- b) The applicants for subdivision must verify that the private water systems for each unit are connected separately outside of the building. If the water systems are interconnected within or under the building structure, the subdivision application will not be supported.
- c) The condition of the private water systems must be verified as being functional and free of defects and the private systems must be able to provide effective water servicing to both dwelling units. The applicants / owners are accepting the existing water system(s) "as-is". The cost of any re-location, modification or upgrading required by the owners at any time, will be entirely the responsibility of the owners.
- d) The applicants / owners must register on the titles of each separate lot an irrevocable caveat and easement allowing for the operation, maintenance, excavation, repair or replacement of the water systems within each separate lot by both owners. The caveat must save harmless the City, and EPCOR from liability for any cost, loss or damage due to failure or repair of the private water systems resulting from allowing the cross lot servicing due to subdivision to separate titled lots.
- e) If a new development permit is taken out on either of the subdivided properties to construct a new building (dwelling unit), then each of the lots must be separately serviced with water directly from city water mains, and must not interconnect any private water system to any other private water system.
- f) The Chief Plumbing Inspector must also support the subdivision.

Should the applicant/owner fail to satisfy the City regarding the above conditions, the application for subdivision will not be supported until the conditions of the Drainage Bylaw and Waterworks Bylaw are satisfied.





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

August 10, 2017

File No. LDA17-0376

Hagen Surveys (1982) Ltd. 8929 - 20 Street NW Edmonton, AB T6P 1K8

ATTENTION: Roy Maxwell

RE:

Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 1, Block 45, Plan 3746 HW, located north of 80 Avenue NW and east of 81 Street NW; KING EDWARD PARK

The Subdivision by Plan is APPROVED on August 10, 2017, subject to the following conditions:

- 1. that the owner enter into a Servicing Agreement with the City of Edmonton for the payment of the applicable Permanent Area Contributions, pursuant to Section 655 of the Municipal Government Act (contact Susana Maki at 780-423-6889);
- 2. that the owner obtain a permit to demolish the existing dwelling and garage prior to endorsement of the final plan. Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue NW; and
- 3. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

- that the owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-4124000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-5082456), ATCO Gas (780-4245222) and Drainage Planning and Engineering (water and sewer 780-4965444);
- that the existing services (water and sanitary) enter the proposed subdivision approximately
 31 m east of the west property line of Lot 1. As per the Sewers and Waterworks Bylaws, these services cannot cross the proposed property line;
- 3. that if power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan (contact EPCOR Land and Administration Group at 780-412-3252);

- 4. that the owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the *Safety Codes Act* and *Alberta Building Code*. Permits may be required for such changes. Please contact 311 for more information;
- 5. that the next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$649.00) and subsequently released to the applicant for registration at the Land Titles Office;
- 6. that the Subdivision Authority will not endorse the plan of subdivision or other instrument until the appeal period as prescribed by the Municipal Government Act, 2000 has lapsed;
- 7. that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton; and
- 8. that the owner may lodge an appeal in accordance with Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be five (5) days from the date the decision is mailed.

If you have further questions, please contact Stephanie Mah at stephanie.mah@edmonton.ca or 780-442-5387.

Regards,

Blair McDowell
Subdivision Authority

BM/sm/Posse #255251786-001

Enclosure

File No. LDA17-0376 2 of 2

TENTATIVE PLAN

SHOWING SUBDIVISION OF

LOT 1, BLOCK 45, PLAN 3746 H.W.

IN THE

S.E.1/4 SEC.27-52-24-4

EDMONTON ALBERTA

SCALE 1:200 2017 N.R. RONSKO, A.L.S.


0 10

m 5 15m



NOTE:
- DISTANCES ARE APPROXIMATE AND ARE IN METRES AND DECIMALS THEREOF.
- AREA DEALT WITH BOUNDED THUS.

HAGEN SURVEYS (1982) LTD. 8929-20 STREET, EDMONTON. Ph: 464-5506				
SURVEYOR'S STAMP	DRAWN BY: S.C.			
THE SURVEYORS THE PROPERTY OF THE PROPERTY OF THE PROPERTY MARCH THE PROPERTY OF THE PROPERTY	CALC'D. BY: S.C.			
P 052	DATE: JUNE 26, 2017 REVISED: August 8, 2017			
(1982) LTD.	FILE NO. 17S0359			
	DWG.NO. 17S0359T			





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

August 10, 2017

File No. LDA17-0380

Hagen Surveys (1982) Ltd. 8929 - 20 Street NW Edmonton, AB T6P 1K8

ATTENTION: Roy Maxwell

RE: Tentative plan of subdivision to create one (1) additional single detached residential lot from Lots 3-4, Block 54, Plan 5997 AE, located north of 78 Avenue NW and east of 79 Street NW; KING

EDWARD PARK

The Subdivision by Plan is APPROVED on August 10, 2017, subject to the following conditions:

- that the owner enter into a Servicing Agreement with the City of Edmonton for the payment of the applicable Permanent Area Contributions, pursuant to Section 655 of the Municipal Government Act (contact Susana Maki at 780-423-6889);
- 2. that the owner obtain a permit to demolish the existing dwelling and garage prior to endorsement of the final plan. Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue NW; and
- 3. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

- that the owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-4124000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-5082456), ATCO Gas (780-4245222) and Drainage Planning and Engineering (water and sewer 780-4965444);
- that the existing services (water and sanitary) enter the proposed subdivision off the lane at approximately 30.4 m east of the east property line of 79 Street. As per the Sewers and Waterworks Bylaws, these services cannot cross the proposed property line;
- 3. that if power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan (contact EPCOR Land and Administration Group at 780-412-3252);

- 4. that the owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the *Safety Codes Act* and *Alberta Building Code*. Permits may be required for such changes. Please contact 311 for more information;
- 5. that the next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$649.00) and subsequently released to the applicant for registration at the Land Titles Office;
- 6. that the Subdivision Authority will not endorse the plan of subdivision or other instrument until the appeal period as prescribed by the Municipal Government Act, 2000 has lapsed;
- 7. that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton; and
- 8. that the owner may lodge an appeal in accordance with Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be five (5) days from the date the decision is mailed.

If you have further questions, please contact Stephanie Mah at stephanie.mah@edmonton.ca or 780-442-5387.

Regards,

Blair McDowell

Subdivision Authority

BM/sm/Posse #255341698-001

Enclosure

File No. LDA17-0380 2 of 2

TENTATIVE PLAN

SHOWING SUBDIVISION OF

LOT 3 & PART OF LOT 4, BLOCK 54, PLAN 5997 A.E.

IN THE


S.E.1/4 SEC.27-52-24-4

EDMONTON ALBERTA





HAGEN SURVEYS (1982) LTD. 8929-20 STREET, EDMONTON. Ph: 464-5506				
SURVEYOR'S STAMP	DRAWN BY: S.C.			
THE SURVEYORS TO	CALC'D. BY: S.C.			
P 052	DATE: JUNE 27, 2017 REVISED: -			
(1982) LTD.	FILE NO. 17S0583			
	DWG.NO. 17S0583T			





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

August 10, 2017

File No. LDA17-0382

Delta Land Surveys Ltd. 9809 - 89 Avenue NW Edmonton, AB T6E 2S3

ATTENTION: John Sung

RE: Tenta

Tentative plan of subdivision to create separate titles for a semi-detached dwelling from Lot 6, Block 13, Plan 5899 HW, located south of 101 Avenue NW and east of 79 Street NW; FOREST HEIGHTS

The Subdivision by Plan is APPROVED on August 10, 2017, subject to the following conditions:

- 1. that the owner make satisfactory arrangements with Drainage Planning and Engineering for the provision of separate services (water and sanitary) to the proposed northern lot;
- 2. that the owner obtain a permit to demolish the existing dwelling and garage prior to endorsement of the final plan. Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue NW; and
- 3. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

- that the owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-4124000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-5082456), ATCO Gas (780-4245222) and Drainage Planning and Engineering (water and sewer 780-4965444);
- that if power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan (contact EPCOR Land and Administration Group at 780-412-3252);
- 3. that the owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the *Safety Codes Act* and *Alberta Building Code*. Permits may be required for such changes. Please contact 311 for more information;
- 4. that the next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to

- the City for endorsement along with the endorsement fee (\$649.00) and subsequently released to the applicant for registration at the Land Titles Office;
- 5. that the Subdivision Authority will not endorse the plan of subdivision or other instrument until the appeal period as prescribed by the Municipal Government Act, 2000 has lapsed;
- 6. that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton; and
- 7. that the owner may lodge an appeal in accordance with Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be five (5) days from the date the decision is mailed.

If you have further questions, please contact Adam Todd at geraldadam.todd@edmonton.ca or 780-496-8080.


Regards,

Blair McDowell
Subdivision Authority

BM/at/Posse #255681809-001

Enclosure(s)

File No. LDA17-0382 2 of 2





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

August 10, 2017

File No. LDA17-0389

Hagen Surveys Ltd. 8929 - 20 Street NW Edmonton, AB T6P 1K8

ATTENTION: Roy Maxwell

RE: Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 37, Block 5, Plan 959 KS, located east of 75 Avenue NW and north of 89 Street NW; **AVONMORE**

The Subdivision by Plan is APPROVED on August 10, 2017, subject to the following conditions:

- 1. that the owner enter into a Servicing Agreement with the City of Edmonton for the payment of the applicable Permanent Area Contributions, pursuant to Section 655 of the Municipal Government Act (contact Susana Maki at 780-423-6889);
- 2. that the owner obtain a permit to demolish the existing dwelling and garage prior to endorsement of the final plan. Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue NW;
- 3. that the final plan of survey shall conform to the attached revised tentative plan; and
- 4. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

- that the owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-4124000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-5082456), ATCO Gas (780-4245222) and Drainage Planning and Engineering (water and sewer 780-4965444);
- 2. that the existing services (water and sanitary) enter the proposed subdivision approximately 7.1 m southeast of the northwest property line of Lot 37. The existing storm service enters the proposed subdivision approximately 8.1 m southeast of the northwest property line of Lot 37. As per the Sewers and Waterworks Bylaws, these services cannot cross the proposed property line;
- that if power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan (contact EPCOR Land and Administration Group at 780-412-3252);

- 4. that the owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the *Safety Codes Act* and *Alberta Building Code*. Permits may be required for such changes. Please contact 311 for more information;
- 5. that the next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$649.00) and subsequently released to the applicant for registration at the Land Titles Office;
- 6. that the Subdivision Authority will not endorse the plan of subdivision or other instrument until the appeal period as prescribed by the Municipal Government Act, 2000 has lapsed;
- 7. that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton; and
- 8. that the owner may lodge an appeal in accordance with Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be five (5) days from the date the decision is mailed.

If you have further questions, please contact Adam Todd at geraldadam.todd@edmonton.ca or 780-496-8080.

Regards,

Blair McDowell
Subdivision Authority

BM/at/Posse #256691786-001

Enclosure(s)

TENTATIVE PLAN

SHOWING SUBDIVISION OF

LOT 37, BLOCK 5, PLAN 959 K.S.

IN THE

N.W.1/4 SEC. 22-52-24-4


ALBERTA EDMONTON





NOTE: — DISTANCES ARE APPROXIMATE AND ARE IN METRES AND DECIMALS THEREOF. — AREA DEALT WITH BOUNDED THUS. ————

HAGEN SURVEYS (1982) LTD. 8929-20 STREET, EDMONTON. Ph: 464-5506 SURVEYOR'S STAMP DRAWN BY: S.C./ESD CALC'D. BY: S.C. P 052 DATE: JULY 04, 2017 REVISED: JULY 20, 2017 HAGEN SURVEYS (1982) LTD. FILE NO. 1750597 DWG.NO. 17S0597T





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

August 10, 2017

File No. LDA17-0404

Tolene Designs Inc. 15918 - 109 Street NW Edmonton, AB T5X 4R9

ATTENTION: Abdulla Elmikkawi

RE: Tentative plan of subdivision to create one (1) single detached residential lot from Lot 14, Block 15, Plan 5229 AD, located north of 96 Avenue and east of 155 Street; **WEST JASPER PLACE**

The Subdivision by Plan is APPROVED on August 10, 2017 subject to the following conditions:

1. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

- that the owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-4124000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-5082456), ATCO Gas (780-4245222) and Drainage Planning and Engineering (water and sewer 780-4965444);
- 2. that the existing services (water and sanitary) enter the proposed subdivision approximately 9.3 m north of the south property line of Lot 14. As per the Sewers and Waterworks Bylaws, these services cannot cross the proposed property line;
- that if power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan (contact EPCOR Land and Administration Group at 780-412-3252);
- 4. that the next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$649.00) and subsequently released to the applicant for registration at the Land Titles Office;
- 5. that the Subdivision Authority will not endorse the plan of subdivision or other instrument until the appeal period as prescribed by the Municipal Government Act, 2000 has lapsed;
- 6. that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton; and

7. that the owner may lodge an appeal in accordance with Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 – 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be five (5) days from the date the decision is mailed.

If you have further questions, please contact Stephen Raitz at stephen.raitz@edmonton.ca or 780-5089536.

Regards,

Blair McDowell Subdivision Authority

BM/sr/Posse # 252347671-001

Enclosure(s)

