Thursday, February 11, 2021 10:00 am.



PLACE: ET 6 MR NW 06-127

SUBDIVISION AUTHORITY AGENDA MEETING NO. 06

1. ADOPTION OF AGENDA

RECOMMENDATION

That the Subdivision Authority Agenda for the February 11, 2021 meeting be adopted.

2. ADOPTION OF MINUTES

RECOMMENDATION

That the Subdivision Authority Minutes for the February 4, 2021 meeting be adopted.

3.	OLD BUSINESS		
4.	NEW BUSINESS		
1.	LDA20-0389 378420846-001	Tentative plan of subdivision to create 12 single detached residential lots from Lot A, Block 1, Plan 182 1095 located east of Orchards Road SW and south of Orchards Boulevard SW; THE ORCHARDS AT ELLERSLIE	
2.	LDA20-0329 375964333-001	Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 43, Block 12, Plan 4116 HW, located north of University Avenue NW and west of 117 Street NW; WINDSOR PARK	
3.	LDA20-0404 379391363-001	Tentative plan of subdivision to subdivide and consolidate the west portion of Lot 13A, Block 110, Plan 872 2370 and the east portion of Lot 14A, Block 110, Plan 872 2370. This subdivision will create one (1) additional single detached residential lot, located south of 88 Avenue NW and east of 98 Street NW; STRATHCONA	
4.	LDA20-0439 381565155-001	Tentative plan of subdivision to create one (1) additional single detached residential lot, from Lots 9 and 10, and a portion of Lot 8, Block 7, Plan 2099 HW, located south of 113 Avenue NW and west of 128 Street NW; INGLEWOOD	
5.	. LDA21-0002 382148038-001	Tentative plan of subdivision to create separate titles for a semi-detached dwelling from Lot 16, Block 14, Plan 5908 AF, located north of 113 Avenue NW and east of 123 Street NW; INGLEWOOD	
6.	. LDA21-0004 382125074-001		
7.	LDA21-0016 383464852-001	Tentative plan of subdivision to create one (1) additional residential lot, from Lot 11, Block 14A, Plan 2109 HW located west of 113 Street NW and south of 111 Avenue NW; QUEEN MARY PARK	

8.	LDA21-0022 381347168-001	Tentative plan of subdivision of Lot 3PUL, Block 2, Plan 792 1727 and lot 6PUL, Block 2, Plan 862 1389 for the purpose of consolidation with Lots 8 and 9, Block 2, Plan 092 5800, located south of 118 Avenue NW and east of 178 Street NW; ARMSTRONG INDUSTRIAL
5.	OTHER BUSINESS	ARMOTRONO INDUSTRIAL



7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2020

File No. LDA20-0389

Stantec Consulting Ltd. 400 - 10220 103 Avenue NW Edmonton, AB T5J 0K4

ATTENTION: Mike Vivian

RE: Tentative plan of subdivision to create 12 single detached residential lots from Lot A, Block 1, Plan 182 1095 located east of Orchards Road SW and south of Orchards Boulevard SW; THE ORCHARDS AT ELLERSLIE

- I The Subdivision by Plan is APPROVED on February 11, 2020, subject to the following conditions:
 - 1. that the owner enter into a Servicing Agreement with the City of Edmonton pursuant to Section 655 of the Municipal Government Act;
 - that the owner prepare the necessary plans and documentation to grant new or carry forward
 existing easements and restrictive covenants in favour of the City of Edmonton, EPCOR
 Distribution & Transmission Inc., EPCOR Water Services Inc., and EPCOR Drainage Services, as
 required by the aforementioned agencies or shown on the engineering drawings that are
 deemed to be part of the Servicing Agreement; and
 - that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.
- II The Servicing Agreement required in Clause I (1) shall contain, among other things, the following conditions:
 - 1. that the owner pay all servicing costs, assessments, roadway modification costs (including but not limited to sidewalk, shared use path and/or transit infrastructure), construction costs and inspection costs required by this subdivision;
 - 2. that the owner pay all costs specified in the Servicing Agreement prior to endorsement of the plan of survey;
 - 3. that the owner pay the Drainage Assessments applicable to this subdivision;
 - 4. that the owner pay the Arterial Roadway Assessments applicable to this subdivision;
 - 5. that the owner submits an Erosion and Sediment Control (ESC) Plan specific for this development and for implementation during and after construction in accordance with the City of Edmonton ESC Guidelines and Field Manual;

- that the owner submits detailed engineering drawings and technical studies in accordance with the City of Edmonton Design and Construction Standards and to the satisfaction of the City Departments and affected utility agencies;
- 7. that the owner shall submit redline revisions or resubmit engineering drawings, subject to the extent of the proposed revisions, to the satisfaction of Development Servicing Agreements; and
- 8. that the owner constructs a temporary 6 m gravel surface roadway connection to the satisfaction of Subdivision and Development Coordination, as shown on the "Conditions of Approval" map, Enclosure I. This roadway will be required prior to Construction Completion Certificate (CCC) for roads (or when required by Subdivision and Development Coordination).

Enclosure I is a map of the subdivision identifying major conditions of this approval.

Municipal Reserve for Lot A, Block 1, Plan 182 1095 was addressed by registration of a Deferred Reserve Caveat (DRC) with LDA19-0536. The DRC will carry forward on the remainder of the title.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.

If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell Subdivision Authority


BM/kr/Posse #378420846-001

Enclosure

File No. LDA20-0389 2 of 2

February 11, 2021

LDA20-0389





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2021

File No. LDA20-0329

Hong Jiang / Lance Brooks 11740 - University Avenue NW Edmonton, AB T6G 1Z5

ATTENTION: Hong Jiang / Lance Brooks

RE: Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 43, Block 12, Plan 4116 HW, located north of University Avenue NW and west of 117 Street NW; WINDSOR PARK

The Subdivision by Plan is APPROVED on February 11, 2021, subject to the following conditions:

- that the owner apply for a permit to demolish the existing dwelling and garage prior to endorsement of the final plan. Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 - 104 Avenue NW;
- 2. that the final plan of survey shall conform to the attached revised tentative plan; and
- 3. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Enclosure I is an attachment of the major advisements throughout the subdivision process. Enclosure II is a map of the subdivision and identifies major conditions and advisements of this approval.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, TSJ 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.

The Subdivision Authority did not receive comments from adjacent landowners. The application complies with the regulations set out in the Edmonton Zoning Bylaw, the land is serviceable, and the proposal advances a more compact urban form. The Subdivision Authority is of the opinion, after considering factors set out in Section 7 of the Subdivision and Development Regulation, that the land is suitable for the purpose for which the subdivision is intended.

If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell
Subdivision Authority

BM/tv/Posse #375964333-001

Enclosure(s)

File No. LDA20-0329 2 of 2

Next Steps for Subdivision Approval

• The next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$686.00 - 2021 Fees Schedule) and subsequently released to the applicant for registration at the Land Titles Office.

Transportation

- Access for future development must be to the adjacent alley in conformance with Mature Neighbourhood Overlay Section 814.3(17) of the Zoning Bylaw #12800.
- There is an existing power pole in the alley. Site access must maintain a minimum clearance of 1
 m from the closest edge of the power pole to the closest edge of the proposed driveway.
- There is an existing access to University Avenue NW. Upon redevelopment of the proposed eastern lot, the existing residential access to University Avenue NW must be removed. The owner/applicant will be required to obtain a Permit to remove the access, available from Development and Zoning Services, 2nd Floor, 10111 - 104 Avenue NW, Edmonton.


Building / Site

 The owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the Safety Codes Act and the Alberta Building Code. Permits may be required for such changes. Please contact 311 for more information.

- The owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-412-4000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-508-2456), ATCO Gas (780-424-5222), and EPCOR Drainage Services (Water and Sewer Servicing 780-496-5444).
- The existing services (water and sanitary) enter the proposed subdivision approximately 8.2 m west of the east property line of existing Lot 43 off of the lane. The existing storm service enters the proposed subdivision approximately 11.0 m west of the east property line of existing Lot 43 off University Avenue NW. As per the EPCOR Drainage Services Bylaw and the EPCOR Water Services and Wastewater Treatment Bylaw, these services cannot cross the proposed property line.
- There is a deficiency in on-street hydrant spacing adjacent to the property. The applicant/owner is advised to review on-site fire protection requirements to ensure adequate coverage (contact EPCOR Water at 780-412-3955).
- If power service crosses the proposed property line the owner may be required to provide a
 blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement
 shall be registered prior to or concurrent with the final plan of survey (contact EPCOR Land
 Administration Group at 780-412-3252).

TENTATIVE PLAN OF SUBDIVISION

Lot 43, Block 12, Plan 4116 HW





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2021

File No. LDA20-0404

Pals Geomatics Corp. 10704 176 Street NW Edmonton, AB T5S 1G7

ATTENTION: Sam McDougall

RE: Tentative plan of subdivision to subdivide and consolidate the west portion of Lot 13A, Block 110, Plan 872 2370 and the east portion of Lot 14A, Block 110, Plan 872 2370. This subdivision will create one (1) additional single detached residential lot, located south of 88 Avenue NW and east of 98 Street NW; STRATHCONA

The Subdivision by Plan is APPROVED on February 11, 2021, subject to the following conditions:

- that the owner obtain an exterior alteration permit to remove the existing window within the
 west wall of the garage on existing Lot 13A. The permit must be approved and the work
 inspected prior to endorsement of the final plan. Exterior alteration permits can be obtained
 from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue
 NW; and
- 2. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Enclosure I is an attachment of the major advisements throughout the subdivision process. Enclosure II is a map of the subdivision and identifies major conditions and advisements of this approval.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.

The Subdivision Authority did not receive comments from adjacent landowners. The application complies with the regulations set out in the Edmonton Zoning Bylaw, the land is serviceable, and the proposal advances a more compact urban form. The Subdivision Authority is of the opinion, after considering factors set out in Section 7 of the Subdivision and Development Regulation, that the land is suitable for the purpose for which the subdivision is intended.

If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell
Subdivision Authority

BM/tv/Posse #379391363-001

Enclosure(s)

File No. LDA20-0404 2 of 2

Next Steps for Subdivision Approval

 The next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$686.00 - 2021 Fees Schedule) and subsequently released to the applicant for registration at the Land Titles Office.

Transportation

- There are existing boulevard trees adjacent to the site on 88 Avenue NW that must be protected during construction. For information about tree protection please refer to the City of Edmonton's website (Trees and Construction).
- Access for future development must be to the adjacent alley in conformance with Mature Neighbourhood Overlay Section 814.3(17) of the Zoning Bylaw #12800.


Building / Site

• The owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the Safety Codes Act and the Alberta Building Code. Permits may be required for such changes. Please contact 311 for more information.

- The owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-412-4000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-508-2456), ATCO Gas (780-424-5222), and EPCOR Drainage Services (Water and Sewer Servicing 780-496-5444).
- One set of services (water and sanitary) enters the proposed subdivision approximately 2.4 m
 east of the west property line of existing Lot 14A off 88 Avenue NW. A second set of services
 (water and sanitary) enters the proposed subdivision approximately 9.9 m east of the west
 property line of existing Lot 13A off 88 Avenue NW. As per the EPCOR Drainage Services Bylaw
 and the EPCOR Water Services and Wastewater Treatment Bylaw, these services cannot cross the
 proposed property line.
- There is a deficiency in on-street fire protection adjacent to the property. The applicant/owner is advised to review on-site fire protection requirements to ensure adequate coverage (contact EPCOR Water at 780-412-3955).
- If power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan of survey (contact EPCOR Land Administration Group at 780-412-3252).



88 AVENUE NW




LANE

WARREN CHAMPION

NOTES:

- ALL DISTANCES ARE SHOWN IN METRES AND DECIMALS THEREOF.
- ALL DISTANCES ON CURVED BOUNDARIES ARE ARC LENGTHS.
- ALL INFORMATION SHOWN ON THIS PLAN IS BOTH TENTATIVE AND PRELIMINARY, AND SUBJECT TO CHANGE BY THE 'PLAN OF SURVEY'.
- THE BOUNDARY SHOWN, EVEN IF ANNOTATED, IS SUBJECT TO CHANGE BY THE 'PLAN OF SURVEY'.
- THE ZONING OF THIS SUBJECT AREA IS RF2. PLAN TO BE SUBDIVIDED SHOWN OUTLINED THUS.



3	JAN 4/20	PROPERTY LINE	CN
2	DEC. 18/20	PERPS	CN
1	NOV. 27/20	T-PLAN	CN
REV. NO.	DATE	ITEM	BY

REVISIONS

STRATHCONA

TENTATIVE PLAN SHOWING PROPOSED


SUBDIVISION

LOTS 13A & 14A, BLOCK 110, PLAN 872 2370 WITHIN THE

N.W. 1/4 SEC. 28 - TWP. 52 - RGE. 24 - W. 4TH MER.

EDMONTON - ALBERTA

2.5 5 7.5 10 15 METRES SCALE: 1:250



10704-176 Street NW, Edmonton, Alberta T5S 1G7

CN CHECKED BY: DRAFTED BY:



7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2021

File No. LDA20-0439

Hagen Surveys (1982) Ltd. 8920 20 Street NW Edmonton, AB T6P 1K8

ATTENTION: Jordan Widmer

RE: Tentative plan of subdivision to create one (1) additional single detached residential lot, from Lots 9 and 10, and a portion of Lot 8, Block 7, Plan 2099 HW, located south of 113 Avenue NW and west of 128 Street NW; INGLEWOOD

The Subdivision by Plan is APPROVED on February 11, 2021, subject to the following conditions:

- 1. that the owner apply for permits to demolish the existing dwellings prior to endorsement of the final plan. Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue NW; and
- 2. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Enclosure I is an attachment of the major advisements throughout the subdivision process. Enclosure II is a map of the subdivision and identifies major conditions and advisements of this approval.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.

The Subdivision Authority did not receive comments from adjacent landowners. The application complies with the regulations set out in the Edmonton Zoning Bylaw, the land is serviceable, and the proposal advances a more compact urban form. The Subdivision Authority is of the opinion, after considering factors set out in Section 7 of the Subdivision and Development Regulation, that the land is suitable for the purpose for which the subdivision is intended.

If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell Subdivision Authority

BM/mb/Posse #381565155-001

Enclosures

File No. LDA20-0439 2 of 2

Next Steps for Subdivision Approval

• The next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$686.00 - 2020 Fees Schedule) and subsequently released to the applicant for registration at the Land Titles Office.

Transportation

- There are existing boulevard trees adjacent to the site on 113 Avenue NW that must be
 protected during construction. For information about tree protection please refer to the City of
 Edmonton's website (Trees and Construction).
- Access for future development must be to the adjacent alley in conformance with Mature Neighbourhood Overlay Section 814.3(17) of the Zoning Bylaw #12800.
- There are existing accesses to 113 Avenue NW. Upon redevelopment of proposed Lots 9A and 9B, the existing residential accesses to 113 Avenue NW must be removed. The owner/applicant will be required to obtain a Permit to remove the access, available from Development and Zoning Services, 2nd Floor, 10111 - 104 Avenue NW, Edmonton.
- There is an existing power pole with overhead power lines within the 113 Avenue boulevard.
- The Inglewood neighbourhood is on the Neighbourhood Renewal Program. This specific site is scheduled for renewal in 2021. Subdivision Planning recommends that the owner/applicant email BuildingGreatNeighbourhoods@edmonton.ca to coordinate any work on road right-of-way. Should you require any additional information please email SPTransportation@edmonton.ca.

Building / Site

 The owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the Safety Codes Act and the Alberta Building Code. Permits may be required for such changes. Please contact 311 for more information.

- The owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-412-4000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-508-2456), ATCO Gas (780-424-5222), and EPCOR Drainage Services (Water and Sewer Servicing 780-496-5444).
- The existing services (water and sanitary) enter the proposed subdivision approximately 6.0 m
 west of the east property line of Lot 10 off 113 Avenue NW and approximately 36.8 m east of the
 east property line of St Albert Trail off 113 Avenue NW. As per the EPCOR Drainage Services
 Bylaw and the EPCOR Water Services and Wastewater Treatment Bylaw, these services cannot
 cross the proposed property line.
- There is a deficiency in on-street hydrant spacing adjacent to the property. The applicant/owner is advised to review on-site fire protection requirements to ensure adequate coverage (contact EPCOR Water at 780-412-3955).
- If power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan of survey (contact EPCOR Land Administration Group at 780-412-3252).

TENTATIVE PLAN

SHOWING SUBDIVISION OF

PART OF LOT 8, LOT 9, AND LOT 10 BLK.7, PLAN 2099 H.W.

S.E.1/4 SEC.12-53-25-4

EDMONTON ALBERTA

SCALE 1:200 2020 N.R. RONSKO, A.L.S. 0 10



NOTE:


— DISTANCES ARE APPROXIMATE AND ARE IN METRES AND DECIMALS THEREOF.

— AREA DEALT WITH BOUNDED THUS.

HAGEN SURVEYS (1982) LTD. 8929-20 STREET, EDMONTON. Ph: 464-5506



DRAWN BY:	J.V.
CALC'D. BY:	J.V.
DATE: Dece REVISED:	mber_15, 2020
FILE NO. 2	2080571
DWG.NO. 2	0S0571T





7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2021

File No. LDA21-0002

Hagen Surveys (1982) Ltd. 8929 20 Street NW Edmonton, AB T6P 1K8

ATTENTION: Jordan Widmer

RE: Tentative plan of subdivision to create separate titles for a semi-detached dwelling from Lot 16, Block 14, Plan 5908 AF, located north of 113 Avenue NW and east of 123 Street NW; INGLEWOOD

The Subdivision by Plan is APPROVED on February 11, 2021, subject to the following conditions:

- that the owner make satisfactory arrangements with EPCOR Water Services Inc. and EPCOR
 Drainage Services for the provision of separate services (water and sanitary) to the proposed
 southern lot; and
- 2. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Enclosure I is an attachment of the major advisements throughout the subdivision process. Enclosure II is a map of the subdivision and identifies major conditions and advisements of this approval.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.

The Subdivision Authority did not receive comments from adjacent landowners. The application complies with the regulations set out in the Edmonton Zoning Bylaw, the land is serviceable, and the proposal advances a more compact urban form. The Subdivision Authority is of the opinion, after considering factors set out in Section 7 of the Subdivision and Development Regulation, that the land is suitable for the purpose for which the subdivision is intended.

If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell
Subdivision Authority

BM/tv/Posse #382148038-001

Enclosure(s)

File No. LDA21-0002 2 of 2

Next Steps for Subdivision Approval

• The next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$686.00 - 2021 Fees Schedule) and subsequently released to the applicant for registration at the Land Titles Office.

Transportation

- There are existing boulevard trees adjacent to the site on 123 Street NW that must be protected during construction. For information about tree protection please refer to the City of Edmonton's website (Trees and Construction).
- Site access has been approved to the alley. Specific details of access have been reviewed through a Development Permit for the site (POSSE #360617379-002).
- A Development Permit (Posse # 360617379-008) for proposed Lot 16B is currently under review, to remove the existing access to 123 Street. Specific details of access will be reviewed through the Development Permit.
- The Inglewood neighbourhood is on the Neighbourhood Renewal Program. This specific site is scheduled for renewal in 2021. Subdivision Planning recommends that the owner/applicant email BuildingGreatNeighbourhoods@edmonton.ca to coordinate any work on road right-of-way.

Building / Site

 The owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the Safety Codes Act and the Alberta Building Code. Permits may be required for such changes. Please contact 311 for more information.

- The owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-412-4000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-508-2456), ATCO Gas (780-424-5222), and EPCOR Drainage Services (Water and Sewer Servicing 780-496-5444).
- The existing services (water and sanitary) enter the proposed subdivision approximately 12.0 m north of the south property line of existing Lot 16 off 122 Street NW. As per the EPCOR Drainage Services Bylaw and the EPCOR Water Services and Wastewater Treatment Bylaw, these services cannot cross the proposed property line.
- There is a deficiency in on-street hydrant spacing adjacent to the property. The applicant/owner is advised to review on-site fire protection requirements to ensure adequate coverage (contact EPCOR Water at 780-412-3955).
- If power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan of survey (contact EPCOR Land Administration Group at 780-412-3252).

TENTATIVE PLAN

SHOWING SUBDIVISION OF

LOT 16, BLOCK 14, PLAN 5908 A.F.

IN THE HB.53-24-4

EDMONTON ALBERTA


SCALE 1:200 2020 N.R. RONSKO, A.L.S.


0 10

m 5 15m



NOTE: — DISTANCES ARE APPROXIMATE AND ARE IN METRES AND DECIMALS THEREOF. — AREA DEALT WITH BOUNDED THUS. — $\underline{}$







7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2021

File No. LDA21-0004

Hagen Surveys (1982) Ltd. 8929 20 Street NW Edmonton, AB T6P 1K8

ATTENTION: Jordan Widmer

RE: Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 1, Block 12, Plan 4629 KS, located north of 89 Avenue NW and west of 140 Street NW; PARKVIEW

The Subdivision by Plan is APPROVED on February 11, 2021, subject to the following conditions:

- 1. that the owner apply for a permit to demolish the existing dwelling prior to endorsement of the final plan. Demolition permits can be obtained from Development Services located on the 2nd floor of Edmonton Tower at 10111 104 Avenue NW; and
- 2. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Enclosure I is an attachment of the major advisements throughout the subdivision process. Enclosure II is a map of the subdivision and identifies major conditions and advisements of this approval.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.

The Subdivision Authority received comments from adjacent landowners and community members. The application complies with the regulations set out in the Edmonton Zoning Bylaw, the land is serviceable, and the proposal advances a more compact urban form. The Subdivision Authority is of the opinion, after considering factors set out in Section 7 of the Subdivision and Development Regulation and the comments from adjacent landowners, that the land is suitable for the purpose for which the subdivision is intended.

If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell
Subdivision Authority

BM/tv/Posse #382125074-001

Enclosure(s)

File No. LDA21-0004 2 of 2

Next Steps for Subdivision Approval

 The next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$686.00 - 2021 Fees Schedule) and subsequently released to the applicant for registration at the Land Titles Office.

Transportation

- There are existing boulevard trees adjacent to the site on 140 Street NW and 89 Avenue NW that must be protected during construction. For information about tree protection please refer to the City of Edmonton's website (Trees and Construction).
- Access for future development must be to the adjacent alley in conformance with Mature Neighbourhood Overlay Section 814.3(17) of the Zoning Bylaw #12800.
- There is an existing access to 140 Street NW. Upon redevelopment of proposed Lot 1B, the
 existing residential access to 140 Street NW must be removed. The owner/applicant will be
 required to obtain a Permit to remove the access, available from Development and Zoning
 Services, 2nd Floor, 10111 104 Avenue NW, Edmonton.

Building / Site

• The owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the Safety Codes Act and the Alberta Building Code. Permits may be required for such changes. Please contact 311 for more information.

- The owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-412-4000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-508-2456), ATCO Gas (780-424-5222), and EPCOR Drainage Services (Water and Sewer Servicing 780-496-5444).
- The existing services (water and sanitary) enter the proposed subdivision approximately 12.0 m north of the south property line of existing Lot 1 off of the lane. The existing storm service enters the proposed subdivision approximately 10.67 m north of the south property line of existing Lot 1 off 140 Street NW. As per the EPCOR Drainage Services Bylaw and the EPCOR Water Services and Wastewater Treatment Bylaw, these services cannot cross the proposed property line.
- There is a water main located within a laneway adjacent to the west property line of existing Lot 1. Any party proposing construction involving ground disturbance to a depth exceeding 2.0 m is required to enter into a Facility Proximity Agreement with EPCOR Water, prior to performing the ground disturbance. Please contact waterlandadmin@epcor.com with your request or for more information.
- If power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan of survey (contact EPCOR Land Administration Group at 780-412-3252).

TENTATIVE PLAN

SHOWING SUBDIVISION OF

LOT 1, BLOCK 12, PLAN 4629 K.S.

N.W.1/4 SEC.25-52-25-4

EDMONTON ALBERTA

SCALE 1:200 2D20 N.R. RONSKO, A.L.S.


0 10
5m 5 15r




NOTE:

— DISTANCES ARE APPROXIMATE AND ARE IN METRES AND DECIMALS THEREOF.

— AREA DEALT WITH BOUNDED THUS.







7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2021

File No. LDA21-0016

Glenora Homes Ltd. 211, 25015 Twp Rd 544A Sturgeon County, AB T8T 0B9

ATTENTION: Dan Zunik

RE: Tentative plan of subdivision to create one (1) additional residential lot, from Lot 11, Block 14A, Plan 2109 HW located west of 113 Street NW and south of 111 Avenue NW; QUEEN MARY PARK

The Subdivision by Plan is APPROVED on February 11, 2021, subject to the following conditions:

1. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Enclosure I is an attachment of the major advisements throughout the subdivision process. Enclosure II is a map of the subdivision and identifies major conditions and advisements of this approval.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.

The Subdivision Authority did not receive comments from adjacent landowners. The application complies with the regulations set out in the Edmonton Zoning Bylaw, the land is serviceable, and the proposal advances a more compact urban form. The Subdivision Authority is of the opinion, after considering factors set out in Section 7 of the Subdivision and Development Regulation, that the land is suitable for the purpose for which the subdivision is intended.

If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell
Subdivision Authority

BM/jv/Posse #383464852-001

Enclosure(s)

Next Steps for Subdivision Approval

• The next step in the subdivision process is to have a legal instrument prepared (ie. Plan of Survey) in order to register the approved subdivision. The legal instrument is then forwarded to the City for endorsement along with the endorsement fee (\$686.00 - 2021 Fees Schedule) and subsequently released to the applicant for registration at the Land Titles Office.


Transportation

- Access for future development must be to the adjacent alley in conformance with Mature Neighbourhood Overlay Section 814.3(17) of the Zoning Bylaw #12800.
- There is an existing access to 111 Avenue NW Service Road. Upon redevelopment of the
 proposed east Lot, the existing residential access to 111 Avenue NW Service Road must be
 removed. The owner/applicant will be required to obtain a Permit to remove the access,
 available from Development and Zoning Services, 2nd Floor, 10111 104 Avenue NW, Edmonton.

Building / Site

• The owner shall ensure that any change in property boundaries does not cause any structures on site to become non-compliant with the Safety Codes Act and the Alberta Building Code. Permits may be required for such changes. Please contact 311 for more information.

- The owner is required to make satisfactory arrangements for, and pay all costs associated with separate servicing to each lot, as well as the modification, relocation and/or removal of existing services. For further information, please contact: EPCOR Distribution & Transmission Inc. (780-412-4000), TELUS Communications (Edmonton) Inc. (Real Estate Division [Rights of Way] 780-508-2456), ATCO Gas (780-424-5222), and EPCOR Drainage Services (Water and Sewer Servicing 780-496-5444).
- The existing services (water and sanitary) enter the proposed subdivision approximately 10.35 m west of the east property line of Lot 11 off of the lane. As per the EPCOR Drainage Services Bylaw and the EPCOR Water Services and Wastewater Treatment Bylaw, these services cannot cross the proposed property line.
- There is a deficiency in on-street hydrant spacing adjacent to the property. The applicant/owner is advised to review on-site fire protection requirements to ensure adequate coverage (contact EPCOR Water at 780-412-3955).
- If power service crosses the proposed property line the owner may be required to provide a blanket easement in favour of EPCOR Distribution & Transmission Inc. If required, said easement shall be registered prior to or concurrent with the final plan of survey (contact EPCOR Land Administration Group at 780-412-3252).



Contact Information: Attention: Dan Zunik

Glenora Homes Ltd.

211 25015 TWP Rd 544A Sturgeon County AB, T8T 0B9

Phone: 780 340 7530

x-x-x-x-x= Existing Fencing

Lot: 11 Block: 14A Plan: 2109HW

Created on April 2 2020



7th Floor, Edmonton Tower 10111 – 104 Avenue NW Edmonton, Alberta T5J 0J4

February 11, 2021

File No. LDA21-0022

Geodetic Surveys and Engineering Ltd. 9538 87 Street NW Edmonton, AB T6C 3J1

ATTENTION: Patrick Stoll

RE:

Tentative plan of subdivision of Lot 3PUL, Block 2, Plan 792 1727 and lot 6PUL, Block 2, Plan 862 1389 for the purpose of consolidation with Lots 8 and 9, Block 2, Plan 092 5800, located south of 118 Avenue NW and east of 178 Street NW; ARMSTRONG INDUSTRIAL

The Subdivision by Plan is APPROVED on February 11, 2021, subject to the following conditions:

1. that the owner pay all outstanding property taxes prior to the endorsement of the plan of survey.

Enclosure I is an attachment of the major advisements throughout the subdivision process.

Please be advised that the approval is valid for one (1) year from the date on which the subdivision approval is given to the application. An extension beyond that time may be granted by the City of Edmonton.

Please be advised that an appeal may be lodged in accordance to Section 678 of the Municipal Government Act with the Subdivision and Development Appeal Board, 10019 - 103 Avenue NW, Edmonton Alberta, T5J 0G9, within 14 days from the date of the receipt of this decision. The date of receipt of the decision is deemed to be seven (7) days from the date the decision is mailed.


If you have further questions, please contact subdivisions@edmonton.ca.

Regards,

Blair McDowell Subdivision Authority

BM/mb/Posse #381347168-001

Enclosure



Thursday, February 4, 2021 10:00 am.



PLACE: ET 6 MR NW 06-127

SUBDIVISION AUTHORITY MINUTES MEETING NO. 05

PRESENT Blair McDowell,		vell, Chief Subdivision Officer		
1.	ADOPTION OF AGENDA			
MOVED		Blair McDowell		
		That the Subdivision Authority Agenda for the Februar adopted.	ry 4, 2021 meeting be	
FOR THE	MOTION	Blair McDowell	CARRIED	
2.	ADOPTION OF MIN	NUTES		
MOVED		Blair McDowell		
		That the Subdivision Authority Minutes for the January adopted.	y 28, 2021 meeting be	
FOR THE MOTION		Blair McDowell	CARRIED	
3. OLD BUSINESS				
4.	NEW BUSINESS			
1.	LDA20-0313	Tentative plan of subdivision to create 36 single detact	•	
	374590780-001	Lot 1, Block D, Plan 162 0360, Lot A, Block 23, Plan Plan 892 2649 located south of Glenridding Ravine Ro		
		Rabbit Hill Road SW; GLENRIDDING RAVINE	Sad SW and Cast of	
MOVED		Blair McDowell		
		That the application for subdivision be Approved.		
FOR THE MOTION		Blair McDowell	CARRIED	
2.	LDA20-0366	Tentative plan of subdivision to create 88 single detac		
	375659518-001	Lot 1, Plan 982 3999, and the SE 25-51-24-W4M, local SW and west of 34 Street SW; CHARLESWOI		
MOVED		Blair McDowell		
		That the application for subdivision be Approved.		
FOR THE MOTION		Blair McDowell	CARRIED	

3.	LDA20-0160 362107317-001	Tentative plan of subdivision to create one (1) Other lot (in two parts) from the SE 17-54-23-W4M and the NE 8-54-23-W4M located south of Manning Drive NW and west of Meridian Street NW; MARQUIS	
MOVED		Blair McDowell	· · · · · · · · · · · · · · · · · · ·
		That the application for subdivision be Approved.	
FOR THE	MOTION	Blair McDowell	CARRIED
4.	LDA20-0162 362116740-001	Tentative plan of subdivision to create two (2) Other lots (in four and three parts) from the SE 17-54-23-W4M and the NE 8-54-23-W4M located south of Manning Drive NW and west of Meridian Street NW; MARQUIS	
MOVED		Blair McDowell That the application for subdivision be Approved.	
FOR THE	MOTION	Blair McDowell	CARRIED
5.	LDA20-0327 375985895-001	Tentative plan of subdivision to create separate titles for a semi-detached dwelling from Lots 14 & 15, Block 47, Plan 8148 AC, located north of 124 Avenue NW and east of 89 Street NW; DELTON	
MOVED		Blair McDowell That the application for subdivision be Approved.	
FOR THE MOTION		Blair McDowell	CARRIED
6.	LDA20-0354 377584094-001	Tentative plan of subdivision to create separate titles for a semi-detached dwelling from Lot 5B, Block 30, Plan 762 1962, located north of 127 Avenue NW and east of 125 Street NW; CALDER	
MOVED		Blair McDowell That the application for subdivision be Approved.	
FOR THE	EMOTION	Blair McDowell	CARRIED
7. LDA20-0445 381130564-001		Tentative plan of subdivision to create one (1) additional single detached residential lot from Lots 14 & 15, Block 34, Plan 6800AK, located north of 101 Avenue NW and east of 81 Avenue NW; FOREST HEIGHTS	
MOVED		Blair McDowell	
		That the application for subdivision be Approved.	
FOR THE MOTION		Blair McDowell	CARRIED
8.	LDA20-0448 381327661-001	Tentative plan of subdivision to create one (1) additional single detached residential lot from Lot 33, Block 16, Plan 635 KS, located south of 74 Avenue NW and east of Saskatchewan Drive NW; BELGRAVIA	
MOVED		Blair McDowell	
		That the application for subdivision be Approved.	
FOR THE MOTION		Blair McDowell	CARRIED

5.	ADJOURNMENT
	The meeting adjourned at 10:25 a.m.

•